

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Audiga Building Material Jiangsu Co., Ltd. 8 Fuye Road, Huangtang, Xuxiake Town, Jiangyin, Jiangsu Province, China	BOD-18-03-28-01 / Reaction to fire Anti-sliding properties Formaldehyde emission	SPC floor coverings - Vinyl floor- ings Structure: Marble grain with light embossed raindrop pattern Thicknesses: 3.2 - 8.0 mm	28 March 2018
VIETNAM H&M WOOD CO., LTD Lot L1.1-L1.4 & Lot L1.27-L1.30, Do Son Hai Phong Industrial Zone, Hai Phong, 180000, Vietnam	BOD-18-08-06-01 / Formaldehyde emission Content of PCP	Multi-layer parquet dimensions: length (350-2200) mm x width (120-260) mm x thickness (8-21) mm	6 August 2018
Dehua TB New Decoration Material Co., Ltd. #1188 Tiaoxi East Street, Qjanyuan Town Deqing County, Huzhou City Zhejiang Province China 313200	BOD-18-08-06-02 / Formaldehyde emission Content of PCP	Engineered Wood Flooring Dimensions: length (400-1900) mm x width (70-260) mm x thick- ness (8-20) mm	6 August 2018
XUZHOU SHENGHE WOOD CO., LTD. Shenghe Industrial Zone Gunhu Town Pizhou City, Jiangsu Province 221321 China	BOD-18-08-20-01 / Formaldehyde emission Content of PCP	Engineered Wood Flooring with different wood species in the top layer, UV lacquer dimensions: length (300-3000) mm x width (60-800) mm x thick- ness (8-25) mm	20 August 2018
Zhejiang Longsen Lumbering Co., LTD. No. 2222 Waihuan East Road, Jiaxing, Zhejiang China 314116	BOD-18-08-20-02 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV lacquer dimensions: length (300-2200) mm x width (75-280) mm x thick- ness (7-22) mm	20 August 2018

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Jiangsu Senmao Bamboo & Wood Industry Co., Ltd. Industrial Park, Zhangzhu Town, Yixing City Jiangsu Province, 214231 China	BOD-18-08-24-01 / Formaldehyde emission Content of PCP	Three-layer parquet with different wood species in the top layer dimensions: length (350-2200) mm x width (76-260) mm x thickness (8.6-22) mm	24 August 2018
Dunhua City Jisen Wood Industry Co., Ltd No. 271 Da Shitou Street; Dunhua City; Jilin Province China 133702	BOD-18-09-06-01 / Formaldehyde emission Content of PCP	Multi-layer parquet with different wood species in the top layer dimensions: length (400-2200) mm x width (57-260) mm x thickness (10-20) mm	6 September 2018
Fusong Jinlong Wooden Group Co. LTD No. 1 Zhanqian Street, Songjianghe Town Fusong County, Jilin Province, China 134504	BOD-18-10-08-02 / Reaction to fire Formaldehyde emission Content of PCP Anti-skid properties Thermal conductivity	layer parquet, UV-lacquer, Thickness: 18 mm, Structure: 3-layer Wood species: Top layer: Oak(3.5mm) Core layer: Pine (11 mm) Back layer: Oak (3.5 mm)	8 October 2018
Scholar Home (Shanghai) Aesthetic Home Furnishings Co., Ltd. No. 800 Xinkang Road, Qingpu District, 201700 Shanghai, China	BOD-18-11-01-01 / Formaldehyde emission	Variant 1: Hardwood multilayer engineered flooring Creator , UV lacquer Top Veneer: Oak (2 mm), Core layer: Eucalyptus (12 mm), Back layer: Beech (1 mm) Thickness: 15 mm Variant 2: Hardwood multilayer engineered flooring Humanity Collection", UV lacquer Top Veneer: Oak (2 mm), Core layer: Eucalyptus (12 mm), Back layer: Beech (1 mm) Thickness: 15 mm	1 November 2018

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Dalian Universal Wood Products Co. LTD. No. 164-44, Minsheng Village Sanshilipu Street, Jinpu ew Zone Dalian, China	BOD-18-11-07-01 / Reaction to fire Formaldehyde emission Content of PCP	Engineered wood flooring, UV lacquer Wood species: Top layer: Oak (6 mm), Based: Poplar Plywood (14 mm) Variant 1 Thickness: 20 mm, length 300-4000 mm, width 90-400 mm Variant 2 Thickness : 12-20 mm, length 300-4000 mm, width 90-400 mm	7 November 2018
Master Home (ZhongShan) Co., Ltd. No. 5 Fu Tian 6th Road, Gangkou, ZhongShan City, GuangDong Province CHINA	BOD-18-11-30-01 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, core layer: Eucalyptus 13.4 mm, UV lacquer dimensions: length (300-2100) mm x width (60-192) mm x thick- ness (9-15) mm	30 November 2018
Qingdao Jeda wood Industry Co., Ltd. 500 Meters East Of Lixianzhuang Community Committee Shangma Subdistrict, Chengyang District Qingdao City, Shandong province, CHINA	BOD-18-11-30-02 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, Core layer: Plywood, UV lacquer dimensions: length (400-1900) mm x width (90-220) mm x thick- ness (10-20) mm	30 November 2018

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Baroque Timber Industries (Zhongshan) Ltd. Suian Industrial Zone, Gangkou Town, ZhongShan City, GuangDong 528447 CHINA	BOD-18-11-30-03 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, core layer: Eucalyptus 12.4 mm, UV lacquer dimensions: length (300-2100) mm x width (60-220) mm x thick- ness (9-22) mm	30 November 2018
DALIAN KEMIAN WOOD INDUSTRY CO., Ltd 2-227 ZHUANGDA ROAD, CHANGSHENG IN- DUSTRY PARK, ZHUANGHE CITY LIAONING PROVINCE CHINA	BOD-18-11-30-04 / Formaldehyde emission Content of PCP	Engineered Wood Flooring with different wood species in the top layer core layer: Pine 9 mm dimensions: length (400-4000) mm x width (80-300) mm x thick- ness (8-22) mm	30 November 2018
Xinyuan Wooden Industry Co., Ltd. No. 2 Linqing Road, Jiangnan Street Dunhua City, Jilin 133714 China	BOD-18-12-13-01 / Anti-skid properties Thermal conductivity	Wood veneer floor coverings with different wood species in the top layer, Core layer: Plywood Variant 1: UV lacquer Variant 2: natural oiled dimensions: length (400-2500) mm x width (50-280) mm x thick- ness (10-25) mm	13 December 2018

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Audiga Building Material Jiangsu Co., Ltd. 8 Fuye Road, Huangtang, Xuxiake Town, Jiangyin, Jiangsu Province China	BOD-18-12-19-01 / Reaction to fire Anti-sliding properties Formaldehyde emission	WPC floorings Structures: Wood grain with vertical bar Strip embossed pattern Wood grain with embroidery in registration pattern Wood grain with deep embossed pattern Thicknesses: 5.0 - 10.0 mm	19 December 2018
Jiangsu Keri Wood Co., Ltd. Siyang Wood Industry Park Daxing Community Siyang City JIANGSU 223723 CHINA	BOD-19-02-13-01 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV lacquer Dimensions: length (350-1800) mm x width (125-220) mm x thickness (8-20) mm	13 February 2019
Dalian Universal Wood Products Co. LTD. No. 164-44, Minsheng Village Sanshilipu Street, Jinpu New Zone Dalian China	BOD-19-02-13 / Reaction to fire Formaldehyde emission Content of PCP	Engineered wood flooring, UV lacquer, Thickness: 14 mm Woodspecies: Top layer: Oak(4mm) Core: SPF (8 mm) Back layer: Pine (2 mm)	13 February 2019
Huzhou Aisenman Wood Co., Ltd. No. 1111 West Shiyuan Road Nanxun District, Huzhou City Zhejiang 313009 China	BOD-19-02-14-01 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV lacquer Dimensions: length (300-2100) mm x width (90-600) mm x thick- ness (8-18) mm	14 February 2019

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Muling Kemian Wood Industry Co., Ltd Xiachengzi Industry Park Muling City, Mudanjiang City Heilongjiang Province China	BOD-19-02-28-01 / Formaldehyde emission Content of PCP	3-layer parquet with different wood species in the top layer, UV lacquered Dimensions: length (400-2200) mm x width (90-300) mm x thickness (12-24) mm	28 February 2019
Fusong Diwang Wooden Product Co., Ltd. Songjianghe Town, Fusong County Baishan City Jilin Province 134504 P. R. CHINA	BOD-19-03-12-01 / Formaldehyde emission Content of PCP	3-layer parquet with different wood species in the top layer, Natural-oiled Dimensions: length (600-2800) mm x width (90-260) mm x thickness (10-22) mm	12 March 2019
Muling Kemian Wood Industry Co., Ltd Xiachengzi Industry Park Muling City, Mudanjiang City Heilongjiang Province CHINA	BOD-19-03-19-01 / Formaldehyde emission	Variant 1: 3-layer parquet, unpainted, top layer: oak dimensions: length (650-2200) mm x width (190) mm x thickness (14) mm Variant 2: Multilayer parquet, unpainted, top layer: oak dimensions: length (650-2200) mm x width (240) mm x thickness (14) mm	29 March 2019
Shandong Longteng Wood Co Ltd. Tanyi Industrial Park Feixian County Linyi City Shandong 273400 China	BOD-19-04-01-03 / Formaldehyde emission Content of PCP	Engineered Wood Flooring with different wood species in the top layer, UV-lacquered Dimensions: length (900-2200) mm x width (125-260) mm x thickness (10-20) mm	1 April 2019

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Shandong Longteng Wood Co., Ltd. Tanyi Industrial Park Feixian County Linyi City Shandong 273400 China	BOD-19-04-24-01 / Reaction to fire	Engineered Wood Flooring, oak, UV-lacquered Dimensions: length (900-2200) mm x width (125-260) mm x thickness (14-15) mm	24 April 2019
Jiahua Plastics Co., Ltd Haoji Industrial Park Chiping County Shandong Province 252125 China	BOD-15-05-28-01 / Reaction to fire Anti-sliding properties	Floorings JH-LVT Flooring , Struc- ture: BP (deep embossing tex- ture) dimensions: length (460-1840) mm x width (100-460) mm x thickness (3.0-5.0) mm	28 May 2019
Jiangsu Zhengjun Decoration Materials Co., Ltd. Yongtaiwei, Gaoqiao Town, Dantu District, Zhenjiang City, Jiangsu Province China	BOD-19-06-17-01 / Reaction to fire Anti-sliding properties	SRC Floorings, Structure: BP dimensions: length (610-2400) mm x width (110-600) mm x thickness (3.2-6.0) mm	17 June 2019
Tongxiang Shengong Timber Industry Co., Ltd No. 09 Chenggong Road Heshan Industrial Park Tongxiang, Zhejiang China	BOD-19-06-20-01 / Formaldehyde emission Content of PCP	Engineered Wood Flooring with different wood species in the top layer, UV-lacquered dimensions: length (300-2400) mm x width (70-300) mm x thick- ness (8-22) mm	20 June 2019
Jiangsu Senmao Bamboo & Wood Industry Co., Ltd. Industrial Park Zhangzhu Town Yixing City, JIANGSU China	BOD-19-07-02-01 / Formaldehyde emission Content of PCP	Three-layer parquet with differ- ent wood species in the top layer, UV-lacquered dimensions: length (400-2200) mm x width (90-260) mm x thick- ness (9-20) mm	2 July 2019

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Nanjing MGM New Material Co. Ltd. No. 19 Zhaoyang Road, Dongping Town, Lishui County, Nanjing City Jiangsu Province, China	BOD-19-07-17-01 / Sliding property	SPC flooring - Vinyl flooring Coating: UV coating	17 July 2019
Nanjing MGM New Materials Co., Ltd. No. 19 Zhaoyang Road, Dongping Town, Lishui District, Nanjing City, Jiangsu Province / China 211200	BOD-19-07-23-01 / Reaktion to fire Sliding behavior	Rigid Vinyl Floor/SPC; (3-7) mm	23 July 2019
JIANGSU SHANGGE INVESTMENT CO., LTD Industrial Area Yu Zhuang, Yaoguan Town, Wujin District, Changzhou City Jiangsu Province China	BOD-19-07-22-01 / Sliding behavior	SRC Flooring Structure: Real Wood Dimensions: Length (450-1800) mm x Width (125-469) mm x Thickness (2.0-5.5) mm	22 July 2019
POWER DEKOR GROUP CO., LTD. Building No.48, No.1000Rd Pudong District Shanghai China	BOD-19-07-24-01 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV lacquer Dimensions: length (350-1800) mm x width (125-220) mm x thickness (8-20) mm	24 July 2019
JIANGSU YMKFLOOR CO., LTD. No.10 Xinrong RD, Henglin, Changzhou, Jiangsu 213103 China	BOD-19-08-15-01 / Reaction to fire Sliding behavior	SRC Floorings, Top layer: PVC, UV coating, Structure: BP dimensions: length (600-1830) mm x width (100-400) mm x thickness (3.2-6.0) mm	15 August 2019
Anhui Coordinated Lin Plastic Technology Co Ltd. Industrial Zone, Gangji, Changfeng, Hefe! City Anhui Province China	BOD-19-08-16-01 / Reaction to fire Sliding behavior	SPC Floorings, Top layer: PVC, Structure: BP dimensions: length (915-1830) mm x width (148-465) mm x thickness (3.2-5.0) mm	16 August 2019

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Anhui Coordinated Lin Plastic Technology Co., Ltd. Industrial Zone, Gangji, Changfeng, Hefei City Anhui Province China	BOD-19-08-16-02 / Reaction to fire Sliding behavior	LVT Floorings, Top layer: PVC, UV coating, Structure: BP dimensions: length (915-1830) mm x width (148-465) mm x thickness (2.0-5.0) mm	16 August 2019
CHANGZHOU DONGJIA DECORATION MATERIAL CO., LTD. Cuiqiao Village, Henglin Town, Wujin District Changzhou City, Jiangsu Province, P.R. China	BOD-19-08-28-01 / Formaldehyde emission Sliding behavior	Laminate flooring most Dimensions: Length (800-2250) mm x Width (90-410) mm x Thickness (7-15) mm	28 August 2019
Zhejiang Longsen Lumbering Co., LTD. No. 2222 Waihuan East Road, Jiaxing, Zhejiang China 314116	BOD-19-09-02-01 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV-lacquered dimensions: length (300-2200) mm x width (75-280) mm x thickness (7-22) mm	2 September 2019
QINGDAO YIMAN WOOD CO., LTD. Dachang Town, Huangdao District Qingdao City, Shandong Province China	BOD-19-09-02-02 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV-lacquered dimensions: length (400-3600) mm x width (90-285) mm x thickness (18) mm	2 September 2019
Xuzhou Shenghe Wood Co., Ltd. Shenghe Industrial Zone, Guanhu Town, Pizhou City, Jiangsu Province Post code 221321 China	BOD-19-09-09-01 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV-lacquered dimensions: length (300-3000) mm x width (60-800) mm x thickness (8-25) mm	9 September 2019

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Dunhua City Jisen Wood Industry Co., Ltd. No. 271 Da Shitou Street Dunhua City, Jilin Province 133702 China	BOD-19-09-09-02 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV-lacquered dimensions: length (400-2200) mm x width (57-260) mm x thickness (10-20) mm	9 September 2019
Dunhua Yishujia Flooring Co., Ltd. Taipingling Village, Jiangnan Town Dunhua City, Yanbian Prefecture Jilin Province China	BOD-19-09-09-03 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV-lacquered dimensions: length (300-2400) mm x width (45-400) mm x thickness (8-30) mm	9 September 2019
VIETNAM H&M WOOD CO., LTD Lot L1.1-L1.4 & Lot L1.27-L1.30, Do Son Industrial Zone HAI PHONG 180000 VIETNAM	BOD-19-09-18-01 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV-lacquered dimensions: length (350-2200) mm x width (120-260) mm x thickness (8-21) mm	18 September 2019
Changzhou Aipu Decorative Materials Co., Ltd. #12 Hengcui Road Henglin Town, Changzhou City, Jiangsu China	BOD-19-10-01 / Reaction to fire Sliding behavior	SRC Floorings, Top layer: PVC, UV coating, Structure: Deep embossed dimensions: length (600-1800) mm x width (150-300) mm x thickness (4.0-7.5) mm	10 October 2019
Duozhengwei New Material Technology Co., Ltd. Nancao Village, Wanshi Town, Yixing City, Jiangsu China	BOD-19-10-02 / Reaction to fire Sliding behavior	Floorings, Top layer: PVC, UV coating, Structure: TW-15 dimensions: length (609-1524) mm x width (125-304) mm x thickness 4.0 mm	10 October 2019

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Zhangjiagang Wellknown FloorCo., Ltd. Jinzhong Road, Jinfeng Town, Zhangjiagang City, Jiangsu Province China	BOD-19-10-10-03 / Reaction to fire Formaldehyde emission	PVC selected-plastic floorings, Surface structure: Embossed Thicknesses: 2 mm - 10 mm	10 October 2019
Dehua TB New Decoration Material Co., Ltd. #1188 Tiaoxi East Street, Qianyuan Town Deqing County, Huzhou City, Zhejiang Province China 313200	BOD-19-11-04-01 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV-lacquered dimensions: length (400-1900) mm x width (70-260) mm x thickness (8-20) mm	4 November 2019
DALIAN Q1ANQIU WOODEN PRODUCT CO., Ltd Dalianwan Village, Dalianwan Town, Ganjingzi District, Dalian City LIAONING PROVINCE CHINA 116113	BOD-19-11-04-02 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV lacquer dimensions: length (400-3200) mm x width (90-300) mm x thickness (10-22) mm	4 November 2019
Kingman Wood Industry Co., Ltd. No. 188 Fengyuan Road Fengcheng Subdisdriect, Rugao City Jiangsu Province CHINA 226500	BOD-19-11-04-03 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV-lacquered dimensions: length (400-2200) mm x width (90-260) mm x thickness (8-20) mm	4 November 2019
ZHEJIANG FUDELI TIMBER INDUSTRY CO., Ltd Paojiang Industrial Zone, Shaoxing Qisheng Road ZHEJIANG Province CHINA 210012	BOD-19-11-28-01 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV-lacquered dimensions: length (300-2400) mm x width (50-800) mm x thick- ness (12-25) mm	28 November 2019

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
DALIA KEMIAN WOOD INDUSTRY CO., Ltd 2-227 ZHUANGDA ROAD CHANGSHENG INDUSTRY PARK ZHUANGHE CITY, LIAONING CHINA	BOD-19-12-10-01 / Formaldehyde emission Content of PCP	Engineered Wood Flooring with different wood species in the top layer, UV-lacquered Dimensions: length (400-4000) mm x width (80-300) mm x thickness (8-22) mm	10 December 2019
Huzhou Aisenman Wood Co., Ltd. No. 1111 West Shiyuan Road Nanxun District, Huzhou City Zhejiang 313009, China	BOD-20-01-09-01 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV lacquer Dimensions: length (300-2100) mm x width (90-600) mm x thickness (8-18) mm	9 January 2020
ZHONGDE NEW DECORATION MATERIAL CO., LTD o. 100 WandongRd, Qianqiao Town, Huishan District, Wuxi, Jiangsu, China	BOD-20-01-17-01 / Reaction to fire Sliding behavior Formaldehyde emission	SPC Flooring, Top layer: PVC, UV coating, Structure: BP Dimensions: 1220 mm x 180 mm x 4.0 mm Distributed by: WUXI HANYANG INTERNATIONALTRADE CO., LTD. NO. 40 Renmin South Road, Luoshe Town, Huishan District, Wuxi	17 January 2020
Havitech Production Joint Stock Company LOT 5, CAM THUONG CLUSTER, CAM THUONG COM UNE BA VI DISTRICT HANOI CITY VIETNAM	BOD-20-01-20-01 / Reaction to fire Sliding behavior	Floorings, Top layer: PVC, UV coating, Structure: Deep embossed dimensions: length (600-1500) mm x width (150-300) mm x thickness (4.0-6.0) mm	20 January 2020
Dorelom Artificial Grass Co., Ltd. No. 8 Lantian Industry Park, Xi an City, Shaanxi China	BOD-20-01-20-02 / Reaction to fire	Artificial Grass; (10-40) mm thick	20 January 2020

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Fusong Jinlong Wooden Group Co. LTD. No. 1 Zhanqian Street Songjianghe Town Fusong County JILIN PROVINCE CHINA 134504	BOD-20-01-23-01 / Formaldehyde emission Content of PCP	Multi-layer parquet with different wood species in the top layer, UV oiled Dimensions: length (600-3800) mm x width (90-350) mm x thickness (10-20) mm	23 January 2020
Fusong Jinlong Wooden Group Co. LTD. No. 1 Zhanqian Street, Songjianghe Town Fusong County, Jilin Province, China 134504	BOD-20-01-23-02 / Reaction to fire Formaldehyde emission Content of PCP Anti-skid properties Thermal conductivity	Three-layer parquet, UV-oiled, Thickness: 15 mm Wood species: Top layer: Oak(4mm) Core layer: Pine (9 mm) Back layer: Pine (2 mm)	23 January 2020
Xinyuan Wooden Industry Co., Ltd. No. 2 Linqing Road, Jiangnan Street Dunhua City Jilin 133714 CHINA	BOD-20-02-12-01 / Formaldehyde emission Content of PCP	3-layer wood parquet with different wood species in the top layer, UV laquered Dimensions: length (400-2500) mm x width (50-280) mm x thickness (10-25) mm	12 February 2020
Changzhou Senhong Decorative Materials Co., Ltd. Qinxin Village Yaoguan Town, Wujin District Changzhou City, Jiangsu Province 213011 China	BOD-20-02-20-01 / Reaction to fire Sliding behavior	SPC Floorings, Top layer: PVC, UV coating, Structure: BP dimensions: length (600-1535) mm x width (163-300) mm x thickness (4.0-6.5) mm	20 February 2020

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Muling Kemian Wood Industry Co., Ltd Xiachengzi industry Park Muling City, Mudanjiang City Heilongjiang Province CHINA	BOD-20-04-01-01 / Formaldehyde emission Content of PCP	3-layer parquet with different wood species in the top layer, UV lacquered Dimensions: length (400-2200) mm x width (90-300) mm x thickness (12-14) mm	9 April 2020
Nanjing MGM New Materials Co., Ltd. No.19 Zhaoyang Road,Dongping Town Lishui county, Nanjing City, Jiangsu Province China 211212	BOD-20-04-29-01 / Reaction to fire Sliding behavior	LVT Floorings Wearlayer + decor film + vinyl layer by hot pressed Wearlayer + decor film + vinyl middle layer + fibreglass + vinyl bottom layer by hot pressed Thicknesses: 1.2 mm - 5.0 mm	29 April 2020
SENTAI WPC TEC FLOORING CO., LTD. No. 19 Guohua Rd., Guangde T.E.D Zone, Guangde, Anhui, China	BOD-20-05-14-01 / Reaction to fire Formaldehyde emission Content of PCP	Veneered floor covering „BIO WOOD FLOOR , Dimensions: 1900 mm x 190 mm x 9 mm 1st layer: 1.2mm OAK veneer 2nd layer: 6.3mm Wood PE composite core 3rd layer: 0.5mm Eucalyptus veneer 4th layer: 1.0mm IXPE underlayment	14 May 2020
Jiangsu Keri Wood Co., Ltd. Yiyang Science and Technology Park C engxiang Town, Siyang County Suqian City, Jiangsu Province 223708 China	BOD-20-05-14-02 / Reaction to fire Sliding behavior	VSPC Floorings, UV coating, Structure: Oak wood Top layer: European Oak, Core layer: SPC, Back layer: EVA Dimensions: 1830 mm x 190 mm x 7.5 mm	14 May 2020

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Innovation United International (Vietnam) Co.,Ltd. Phu Chanh 1 Industrial Clusters Phu Chanh District, Tan Uyen Town Binh Duong Province Vietnam	BOD-20-05-28-01 / Formaldehyde emission Content of PCP	Multi-Layer Engineered Flard-wood Flooring, Top layer: Oak 4,0 mm, Core layer: Eucalyptus 9.0 mm, Back layer: Eucalyptus 2.0 mm, UV lacquer Dimensions: length (400-2200) mm x width (50.8-240) mm xthickness (9.5-20) mm	28 May 2020
Wuxi Boda Bamboo and Wood Industrial Co., Ltd. Taihua Industrial District A Yixing City, Jiangsu Province 214235 China	BOD-20-06-09-01 / Reaction to fire Sliding behavior Formaldehyde emission	Floorings, Top layer: PVC, UV lacquer, Structure: BP Dimensions: length (600-1830) mm x width (150-300) mm x thickness (3.5-8.0) mm	10 June 2020
Shandong Longteng Wood Co., Ltd. Tanyi Industrial Park, Feixian County, Linyi City, Shandong 273400, China	BOD-20-06-11-01 / Reaction to fire Formaldehyde emission Content of PCP	Engineered Wood Floorings, UV-lacquered Top layer: Oak 4.0 mm, Based layer: Poplar + Eucalyptus 10.0 mm -11 mm dimensions: length (900-2200) mm x width (125-260) mm x thickness (14-15) mm	11 June 2020
Jiangsu Senmao Bamboo & Wood Industry Co., Ltd Industrial Park Zhangzhu Town Yixing City, Jiangsu 214231 China	FLO-20-07-02-02 / Formaldehyde emission Content of PCP	Engineered wood Flooring, UV lacquered Top layer: Oak 3.0 mm, Core layer: Eucalyptus, Back layer: Poplar Dimensions: length (400-2200) mm x width (90-260) mm x thickness (9-20) mm	2 July 2020

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Xuzhou Shenghe Wood Co., Ltd. Shenghe Industrial Zone Guanhu Town, Pizhou City, Jiangsu Province, 221321 China	FLO-20-07-03-01 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV-lacquered dimensions: length (300-3000) mm x width (60-800) mm x thickness (8-25) mm	3 July 2020
JIANGSU SHANGGE INVESTMENT CO., LTD Industrial Area Yu Zhuang, Yaoguan Town, Wujin District, Changzhou City Jiangsu Province, China	FLO-20-07-03-02 / Sliding behavior	Vinyl Tile Flooring, Top layer: PVC, UV coating Structure: BP Dimensions: Length (450-1800) mm x Width (125-469) mm x Thickness (2.0-5.5) mm	3 July 2020
CHANGZHOU DONGJIA DECORATION MATERIAL CO.; LTD. Cuiqiao Village, Henglin Town, Wujin District Changzhou City, Jiangsu Province, P.R. China	FLO-20-07-10-01 / Formaldehyde emission Sliding behavior	Laminate flooring most , Structure: BP Dimensions: Length (800-2250) mm x Width (90-410) mm x Thickness (7-15) mm	10 July 2020
Jiangsu Zhengjun Decoration Materials Co., Ltd. Yongtaiwei, Gaoqiao Town Dantu District, Zhenjiang City Jiangsu Province China	FLO-20-07-20-01 / Reaction to fire Sliding behavior Formaldehyde emission	Floorings, Top layer: PVC, UV lacquer, Structure: BP Dimensions: length (610-2400) mm x width (110-600) mm x thickness (3.2-6.0) mm	20 July 2020
Changzhou Huaren Decorative Materials Co., Ltd. No.110, Changhong Road Wujin District, Changzhou City Jiangsu Province China	FLO-20-07-22-01 / Reaction to fire Sliding behavior	Floorings, Top layer: PVC, UV lacquer, Structure: BP grain Dimensions: length (600-1840) mm x width (150-600) mm x thickness (3.2-7.0) mm	22 July 2020

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Jiangsu Meibo Wood Industry Co., Ltd. Cuibe Industrial Zone, Henglin Town Wujin, Changzhou Jiangsu Province China	FLO-20-07-22-02 / Reaction to fire Sliding behavior Formaldehyde emission	SRC Floorings, Top layer: PVC, UV lacquer, Structure: BP Dimensions: length (400-1830) mm x width (100-610) mm x thickness (3.2-8.0) mm	22 July 2020
Fine Flooring (Cambodia) Co., Ltd. #A-02-04, Street, National Road No.4 Phum Smach Dang, Ream Commune, Cambodia	FLO-20-07-23-01 / Reaction to fire Formaldehyde emission Content of PCP Anti-skid properties Thermal conductivity	Wood parquets, UV lacquer, Thickness: 12.0 - 15.5 mm, Structure: Wire brushed Wood species: Top layer: Oak Core layer: Plywood	23 July 2020
SONGYUE BUILDING MATERIAL CO., LTD YUEDIA VILLAGE NANDING TOWN ZHANGDIAN DISTRICT ZIBO CITY, SHANDONG PROVINCE CHINA	FLO-20-07-29-01 / Reaction to fire Sliding behavior Formaldehyde emission	Floorings, Top layer: PVC, UV lacquer, Structure: EIR Dimensions: length (600-1220) mm x width (150-300) mm x thickness (2.0-6.0) mm	29 July 2020
Wint Technology Co.,Ltd. 16th Floor, Unit 6 Chamopagne, No.239 Zhonghua North Street, 050065,Shijiazhuang City, Hebei Province, P.R. China.	FLO-20-07-29-02 / Reaction to fire Sliding behavior Formaldehyde emission	Floorings, Top layer: PVC, UV lacquer, Structure: EIR Dimensions: length (600-1220) mm x width (150-300) mm x thickness (2.0-6.0) mm	29 July 2020
Zhejiang Longsen Lumbering Co., LTD. No. 2222 Waihuan East Road, Jiaxing, Zhejiang China 314116	FLO-20-07-30-01 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV-lacquered dimensions: length (300-2200) mm x width (75-280) mm x thickness (7-22) mm	30 July 2020

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
QINGDAO YIMAN WOOD CO., LTD. Dachang Town, Huangdao District Qingdao City, Shandong Province China	FLO-20-08-12-01 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV-lacquered dimensions: length (400-3600) mm x width (90-285) mm x thickness (9-18) mm	12 August 2020
Dunhua Yishujia Flooring Co., Ltd. Taipingling Village, Jiangnan Town Dunhua City, Yanbian Prefecture Jilin Province China	FLO-20-08-18-01 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV-lacquered dimensions: length (300-2400) mm x width (45-400) mm x thickness (8-30) mm	18 August 2020
Dalian Jaenmaken Wood Industry CO., LTD. No. 5-128, Yaojia Community Taping Subdistrict Office Pulandian District, DALIAN CHINA	FLO-20-08-26-01 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV-lacquered dimensions: length (300-3000) mm x width (50-300) mm x thickness (10-20) mm	26 August 2020
Dunhua City Jisen Wood Industry Co., Ltd. No. 271 Da Shitou Street Dunhua City JILIN PROVINCE 133702 CHINA	FLO-20-08-26-02 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV-lacquered dimensions: length (400-2200) mm x width (57-260) mm x thickness (10-20) mm	26 August 2020
Coordinated Lin Plastic Technology Co., Ltd. Industrial Zone, Gang), Changfeng, Hefei City Anhui Province 231137, CHINA	FLO-20-08-28-01 / Reaction to fire Sliding behavior	LVT Floorings, Top layer: PVC, UV coating, Structure: BP dimensions: length (915-1830) mm x width (148-465) mm x thickness (2.0-5.0) mm	28 August 2020

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Coordinated Lin Plastic Technology Co., Ltd. Industrial Zone, Gangji, Changfeng, Hefei City Anhui Province 231137, CHINA	FLO-20-08-28-02 / Reaction to fire Sliding behavior	Floorings, Top layer: PVC, UV coating, Structure: BP dimensions: length (915-1830) mm x width (148-465) mm x thickness (3.2-5.0) mm	28 August 2020
Duozhengwei New Material Technology Co., Ltd. Nancao Village, Wanshi Town Yixing City, Jiangsu 214200 China	FLO-20-09-10-01 / Reaction to fire Sliding behavior	Flooring, Top layer: PVC, UV curing coating, Structure: TW-15 Dimensions: length (609-1524) mm x width (125-304) mm x thickness 4.0 mm	10 September 2020
Chizhou Re-Art New Materials Co., Ltd. No.26 New Material Industrial Park Jiangnan Industrial Concentration zone Chizhou, Anhui 247000 China	FLO-20-09-25-01 / Reaction to fire Sliding behavior	SPC Floorings, Top layer: PVC, UV lacquered, Structure: BP Dimensions: length (620-1500) mm x width (110-320) mm x thickness (3.0-6.5) mm	25 September 2020
Changzhou Kepler Decorative Material Co., Ltd Cuiqiao Industry Zone, Henglin Town, Changzhou City, Jiangsu, China	FLO-20-09-28-01 / Reaction to fire Anti-sliding properties Formaldehyde emission	SPC floor coverings - Vinyl floorings Structure: Marble grain with light embossed raindrop pattern Thicknesses: 3.2 - 8.0 mm	28 September 2020
RIGID TECH LTD Unit A1 Red Scar Business Park Longridge Road, Preston, Lancashire, UK PR2 SNA	FLO-20-10-06-01 / Reaction to fire Sliding behavior Formaldehyde emission Thermal resistance	SPC-Floorings "RIGID TECH®", Total thickness: 3.2 mm - 6.0 mm Surface structures: embossed and flat	6 October 2020

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Dehua TB New Decoration Material Co., Ltd. #1188Tiaoxi East Street Qianyuan Town Deqing County, Huzhou City Zhejiang Province CHINA 313200	FLO-20-10-09-01 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV-lacquered dimensions: length (400-2200) mm x width (70-260) mm x thickness (8-20) mm	9 October 2020
Shaoxing Haohua Timber Industry Co., Ltd. No.23 Qisheng Road Shaoxing Zhejiang China 312000	FLO-20-10-12-01 / Formaldehyde emission Content of PCP	Multi-layer parquet with different wood species in the top layer, UV-lacquered dimensions: length (450-5000) mm x width (90-300) mm x thickness (10-21) mm	12 October 2020
Kingman Wood Industry Cov Ltd. No. 188 Fengyuan Road Fengcheng Subdisdriect, Rugao City Jiangsu Province, CHINA 226500	FLO-20-10-29-01 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV-lacquered dimensions: length (400-2200) mm x width (90-260) mm x thickness (8-20) mm	29 October 2020
DALIAN QIANQIU WOODEN PRODUCTCO., Ltd Dalianwan Village, Dalianwan Town, Ganjingzi District, Dalian City LIAONING PROVINCE, CHINA 116113	FLO-20-11-27-01 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV lacquered dimensions: length (400-3200) mm x width (90-300) mm x thickness (10-22) mm	27 November 2020
ASIA US INDUSTRIAL JOINT STOCK COMPANY Lot 1, Thai Hoa, Lien Son, Lien Hoa IZ Hoa Son Town Lap Thach District, Vinh Phuc Province Vietnam	FLO-20-11-27-02 / Reaction to fire Sliding behavior	SPC Floorings, Top layer: PVC, UV lacquered, Structure: BP Dimensions: length (915-1524) mm x width (152-228) mm x thickness (4.7-7.5) mm	27 November 2020

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
DALIAN KEMIAN WOOD INDUSTRY CO., Ltd 2-227 ZHUANGDA ROAD CHANGSHENG INDUSTRY PARK ZHUANGHE CITY, LIAONING CHINA 116400	FLO-20-12-03-01 / Formaldehyde emission Content of PCP	Engineered Wood Flooring with different wood species in the top layer, UV-lacquered dimensions: length (400-4000) mm x width (80-300) mm x thickness (8-22) mm	03 December 2020
Fusong Jinlong Wooden Group Co. LTD. No. 1 Zhanqian Street, Songjianghe Town Fusong County, Jilin Province, China 134504	FLO-20-12-11-01 / Reaction to fire Formaldehyde emission Content of PCP Anti-skid properties Thermal conductivity	Three-layer parquet, UV-oiled, Thickness: 15 mm Wood species: Top layer: Oak(4mm) Core layer: Pine (9 mm) Back layer: Pine (2 mm)	11 December 2020
Changzhou Aipu Decorative Materials Co., Ltd. 12 Hengcui Road Henglin Town, Changzhou, Jiangsu China	FLO-20-12-11-02 / Reaction to fire Sliding behavior	SPC Floorings, Top layer: PVC, UV coating, Structure: BP dimensions: length (600-1830) mm x width (125-610) mm x thickness (3.5-7.0) mm	11 December 2020
EFEBE GROUP INT S.L Calle de la Indústria 32 08160 Montmelö, Barcelona SPAIN	FLO-21-01-06-01 / Reaction to fire Sliding behavior	SPC Floorings "BDECORA", Top layer: PVC, UV coating, Structure: BP dimensions: length (600-1830) mm x width (125-610) mm x thickness (3.5-7.0) mm	06 January 2021
CHANGZHOU ORIENT WIN-WIN IMP&EXP CO., LTD. NO.910~911, Building D, NO.9-4TH EastTaihu Road Xinbei District, Changzhou City, Jiangsu Province, China	FLO-21-01-21-01 / Reaction to fire Sliding behavior Formaldehyde emission	Vinyl Floorings (SPC Click Vinyl flooring), Structure: Embossed Thickness (3.0-7.0) mm	21 January 2021

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Zhejiang Yude New Material Technology Co., Ltd Area A, No. 1188, Lianyi West Road Yangnan village, Nanxun Economic Development Zone Huzhou City, Zhejiang Province, CHINA	FLO-21-01-21-02 / Reaction to fire Sliding behavior Formaldehyde emission	SRC Floorings, Top layer: PVC, UV lacquered, Structure: BP Dimensions: length (450-1840) mm x width (120-310) mm x thickness (4.0-8.0) mm	21 January 2021
Zhejiang Xinwu Wood Products Co., Ltd. No. 351 Huishan Road Wukang Town, Deqing County, Zhejiang 313200 CHINA	FLO-21-01-25-01 / Formaldehyde emission Content of PCP	Engineered Wood Flooring with different wood species in the top layer, UV-lacquered dimensions: length (300-2400) mm x width (70-300) mm x thickness (8-20) mm	25 January 2021
Zhejiang Karmeen Rubber Flooring Co., Ltd. No. 189, Zhennan Road, Vaozhuang Town, Jiashan County, Jiaxing City, Zhejiang Province, China	FLO-21-02-03-03 / Reaction to fire Sliding behavior Formaldehyde emission	LVT Floorings: Luxury Vinyl Tile Floorings, Surface structure: Embossed Thickness (2.0-3.0) mm	03 February 2021
Jilin Xinyuan Wooden Industry Co., Ltd. No. 2 Linqing Road, Jiangan Street Dunhua City Jilin 133714 CHINA	FLO-21-02-24-01 / Formaldehyde emission Content of PCP	3-layer wood parquet with different wood species in the top layer, UV laquered Dimensions: length (400-2500) mm x width (50-280) mm x thickness (10-25) mm	24 February 2021
Muling Kemian Wood Industry Co., Ltd Xiachengzi Industry Park Muling City, Mudanjiang City Heilongjiang Province CHINA	FLO-21-02-24-02 / Formaldehyde emission Content of PCP	3-layer parquet with different wood species in the top layer, UV lacquered Dimensions: length (400-2200) mm x width (90-240) mm x thickness (12-22) mm	24 February 2021

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Jiangsu Jiurun New Decorative Material Cov Ltd. Gangcheng Village, Changsha Town, Rudong Country Nantong, Jiangsu Province, CHINA	FLO-21-02-24-03 / Reaction to fire Sliding behavior Formaldehyde emission	SPC Floorings, Top layer: PVC, UV lacquered, Structure: BP Dimensions: length (1220-1820) mm x width (180-229) mm x thickness (4.0-6.5) mm	24 February 2021
Changzhou Senhong Decorative Materials Co., Ltd. Qinxin Village Yaoguan Town, Wujin District Changzhou City, Jiangsu Province 213011 China	FLO-21-03-16-01 / Reaction to fire Sliding behavior	SPC Floorings, Top layer: PVC, UV coating, Structure: BP dimensions: length (600-1535) mm x width (163-300) mm x thickness (4.0-6.5) mm	16 March 2021
Muling Kemian Wood IndustryCo., Ltd. Xiachengzi Industry Park Muling City, Mudanjiang City, Heilongjiang Province CHINA	FLO-21-04-06-01 / Formaldehyde emission Content of PCP Slip resistance	3-layer parquet with different wood species in the top layer, UV lacquered Dimensions: length (400-2200) mm x width (90-240) mm x thickness (12-22) mm	06 April 2021
Jiangsu Kerl Wood Co., Ltd. Siyang Wood Industry Park, Daxing Community Siyang City, Jiangsu 223723 CHINA	FLO-21-05-11-01 / Reaction to fire Sliding behavior	VSPC flooring, UV coating, Structure: Oak wood Top layer: 0,5 mm European Oak, Core layer: SPC Dimensions: 1220 mm x 166 mm x 5 mm	05 May 2021
Jiangsu Shengmao Plastic Products Co., Ltd. (Wooden Industry Area) Daxing Block Zhongxing Town, Siyang County Jiangsu Province 223700 CHINA	FLO-21-05-11-02 / Reaction to fire Sliding behavior	SPC Flooring, Top layer: PVC + colour film layer, UV coating, Structure: "BP" Dimensions: 1220 mm x 178 mm x 3,5 mm	11 May 2021

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
WAW Ltd. 4/F LEE GARDEN THREE 1, SUNNING ROAD, CAUSEWAY BAY, HONG KONG	FLO-21-05-17-01 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV lacquered dimensions: length (400-3200) mm x width (90-300) mm x thickness (10-22) mm Trade names: Antico, Atelier, Castello, Element, Fresco, Habitat, Heritage, Legno, Mood, Origines Produced in plant 1	17 May 2021
WAW Ltd. 4/F LEE GARDEN THREE, 1, SUNNING ROAD, CAUSEWAY BAY, HONG KONG	FLO-21-05-17-02 / Formaldehyde emission Content of PCP Anti-skid properties Thermal conductivity	Three-layer parquet, UV-oiled, Thickness: 15 mm Wood species: Top iayer: Oak (4 mm) Core layer: Pine (9 mm) Back layer: Pine (2 mm) Trade names: Antico, Atelier, Castello, Element, Fresco, Habitat, Heritage, Legno, Mood, Origines Produced in plant 2	17 May 2021
Wuxi Boda Bamboo & Wood Industrial Co., Ltd Taihua Industrial District A Yixing City, Jiangsu CHINA	FLO-21-05-28-01 / Reaction to fire Sliding behavior Formaldehyde emission	SPC Floorings, Top layer: PVC, UV lacquered, Structure: BP Dimensions: length (600-1830) mm x width (150-300) mm x thickness (3,5-8,0) mm	28 May 2021

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Zhejiang Lingge Wood Co., Ltd. No. 108, Shinan Avenue Lianshi Town, Nanxun District, Huzhou City, Zhejiang China	FLO-21-06-09-02 / Reaction to fire Formaldehyde emission Content of PCP	Solid Wood Flooring Oak, UV-lac- quered Thickness 18 mm	09 June 2021
Zhejiang Lingge Wood Co., Ltd. No. 108, Shi- nan Avenue Lianshi Town, Nanxun District, Huzhou City, Zhejiang CHINA	FLO-21-06-09-01 / Formaldehyde emission Content of PCP	Solid Wood Flooring with differ- ent hard wood species, UV-lac- quered Thickness 18 mm	11 June 2021
Tongxiang Shengong Timber Industry Co.; Ltd. No. 09 Chengong Road Heshan Industrial Park TONGXIANG, ZHEJIANG CHINA	FLO-21-06-15-01 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV lacquered Dimensions: length (300-3000) mm x width (70-300) mm x thickness (8-22) mm	15 June 2021
Jiangsu Senmao Bamboo & Wood Industry Co., Ltd Industrial Park Zhangzhu Town Yixing City, Jiangsu 214231 China	FLO-21-06-18-01 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV lacquered Dimensions: length (350-2200) mm x width (90-260) mm x thickness (9-20) mm	18 June 2021
Zhejiang Lingge Wood Co., Ltd. No. 108, Shi- nan Avenue Lianshi Town, Nanxun District, Huzhou City, Zhejiang, China	FLO-21-06-23-01 / Reaction to fire Formaldehyde emission Content of PCP	Wood veneer floor coverings, thickness 8.0 mm -19.0 mm top layer: oak veneer, UV-lacquered, core layer: HDF, back layer: oak veneer	23 June 2021
Zhejiang Lingge Wood Co., Ltd. No. 108, Shi- nan Avenue Lianshi Town, Nanxun District, Huzhou City, Zhejiang, China	FLO-21-06-23-02 / Formaldehyde emission Content of PCP	Wood veneer floor coverings with different wood species in the top layer, UV-lacquered, thickness 8.0 mm -19.0 mm, core layer: HDF, back layer: oak veneer	23 June 2021

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Changsha Lingge Wood Co., Ltd. No. 108, Section 2, Tengfei Road Wangcheng Economic and Technological Development Zone, Changsha, China	FLO-21-06-23-03 / Reaction to fire Formaldehyde emission Content of PCP	Wood veneer floor coverings, thickness 8.0 mm -19.0 mm top layer: oak veneer, UV-lacquered, core layer: HDF, back layer: oak veneer	23 June 2021
Changsha Lingge Wood Co., Ltd. No. 108, Section 2, Tengfei Road Wangcheng Economic and Technological Development Zone, Changsha, China	FLO-21-06-23-04 / Formaldehyde emission Content of PCP	Wood veneer floor coverings with different wood species in the top layer, UV-lacquered, thickness 8.0 mm -19.0 mm, core layer: HDF, back layer: oak veneer	23 June 2021
Jiangsu Zhengyong Flooring Decoration Material Co., Ltd. No.32 Cuibei Village Henglin Town, Wujin Dist Changzhou City, Jiangsu Province 213101 China	FLO-21-07-01-01 / Reaction to fire Sliding behavior Formaldehyde emission	SPC Floorings, Top layer: PVC, UV lacquered, Structure: BP Dimensions: length (1000-1830) mm x width (83-610) mm x thickness (3,2-8,0) mm	01 July 2021
QINGDAO YIMAN WOOD CO., LTD. Dachang Town, Huangdao District Qingdao City, Shandong Province China	FLO-21-07-02-01 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV-lacquered dimensions: length (400-3600) mm x width (90-285) mm x thickness (9-18) mm	02 July 2021
Zhejiang Longsen Lumbering Co., LTD. No. 2222 Waihuan East Road, Jiaxing Zhejiang 314116 China	FLO-21-07-02-02 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV-lacquered dimensions: length (300-2200) mm x width (75-280) mm x thickness (7-22) mm	02 July 2021

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
JIANGSU SHANGGE INVESTMENT CO., LTD. Industrial Area Yu Zhuang, Yaoguan Town, Wujin District, Changzhou City Jiangsu Province, China	FLO-21-07-02-03 / Sliding behavior	SPC Floorings (Rigid Core Vinyl Floorings) Top layer: PVC with UV-coating, Structure: Wood texture Dimensions: Length (450 - 1800) mm x Width (125 - 600) mm Thickness: (2,0 - 6,0) mm	02 July 2021
Shandong Longteng Wood Co., Ltd. Tanyi Industrial Park, Feixian County, Linyi City, Shandong 273400 China	FLO-21-07-14-01 / Reaction to fire Formaldehyde emission Content of PCP Anti-skid properties Thermal conductivity Maximum load	Engineered Wood Floorings, Variant 1 - 3: UV-lacquered, Variant 4: Natural oiled Top layer: Oak 2,5 mm - 6,0 mm, Based layer: Poplar + Eucalyptus 7,5 mm -14,0 mm dimensions: length (400-2200) mm x width (125-260) mm x thickness (10-20) mm	14 July 2021
Jiangsu Senmao Bamboo & Wood Industry Co., Ltd Industrial Park Zhangzhu Town Yixing City, Jiangsu 214231 China	FLO-21-07-20-01 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV lacquered, UV oiled Dimensions: length (350-2200) mm x width (90-260) mm x thickness (9-20) mm	20 July 2021
WAW, 4/F Lee Garden Three, 1, Sunning Road, Causeway Bay Hong Kong	FLO-21-08-05-01 / Reaction to fire Formaldehyde emission Content of PCP Anti-skid properties Thermal conductivity Maximum load	Engineered Wood Flooring Collections Barn, Fresco, Grange, Mood, Legno, Relic, Retro with UV-lacquered, UV-oiled, Oiled-waxed and Natural oiled surfaces Top layer: Oak 2,5 mm - 6,0 mm, Base layer: Poplar + Eucalyptus 7,5 mm -14,0 mm dimensions: length (400-2200) mm x width (125-260) mm x thickness (10-20) mm	21 August 2021

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Anhui Coordinated Lin Plastic Technology Co., Ltd. Industrial Zone, Gangji, Changfeng, Hefei City Anhui Province 231137 CHINA	FLO-21-08-24-01 / Reaction to fire Sliding behavior	LVT Floorings, Top layer: PVQ UV lacquered, Structure: BP dimensions: length (915-1830) mm x width (148-465) mm x thickness (2,0-5,0) mm	24 August 2021
Anhui Coordinated Lin Plastic Technology Co., Ltd. Industrial Zone, Gangji, Changfeng, Hefei City Anhui Province 231137 CHINA	FLO-21-08-24-02 / Reaction to fire Sliding behavior	SPC Floorings, Top layer: PVC, UV lacquered, Structure: BP dimensions: length (915-1830) mm x width (148-465) mm x thickness (3,2-5,0) mm	24 August 2021
Dalian Ouxiang Wood Co., Ltd. 6 Group, Yaojia village, Taiping Street Pulandian city, Dalian China	FLO-21-08-10-01 / Reaction to fire Formaldehyde emission Content of PCP Thermal conductivity	Engineered Wood Floorings, Top layer Oak, Surface Structure: Brush, Surface treatment: oil Thickness (10-20) mm	10 August 2021
Dalian Ouxiang Wood Co.; Ltd. 6 Group, Yaojia village, Taiping Street Pulandian city, Dalian China	FLO-21-08-10-02 / Formaldehyde emission Content of PCP	Engineered Wood Floorings with different hardwood species as top layer, Thickness (10-20) mm	10 August 2021
Fine Flooring (Cambodia) Co., Ltd. #A-02-04, Street National Road No.4 Phum Smach Dang, Ream Commune Cambodia	FLO-21-08-19-01 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, Water-based acrylic acid Dimensions: length (400-1820) mm x width (77-260) mm x thickness (12-14,5) mm	19 August 2021

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Dunhua City Jisen Wood Industry Co., Ltd. No. 271 Da Shitou Street Dunhua City, Jilin Province 133702 CHINA	FLO-21-08-19-02 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV lacquered Dimensions: length (400-2200) mm x width (57-260) mm x thickness (10-20) mm	19 August 2021
DALIAN QIAN QI U WOODEN PRODUCT CO., Ltd Dalianwan Village, Dalianwan Town Ganjingzi District, Dalian City LIAONING PROVINCE CHINA 116113	FLO-21-08-27-01 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, natural oiled Dimensions: length (400-3200) mm x width (90-300) mm x thickness 14 mm	27 August 2021
DALIAN QIANQIU WOODEN PRODUCT CO., Ltd Dalianwan Village, Dalianwan Town Ganjingzi District, Dalian City LIAONING PROVINCE CHINA 116113	FLO-21-08-27-02 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, natural oiled Dimensions: length (400-3200) mm x width (90-300) mm x thickness 15 mm	27 August 2021
DALIAN QIANQIU WOODEN PRODUCT CO., Ltd Dalianwan Village, Dalianwan Town Ganjingzi District, Dalian City LIAONING PROVINCE CHINA 116113	FLO-21-08-27-03 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, natural oiled Dimensions: length (400-3200) mm x width (90-300) mm x thickness 16 mm	27 August 2021
Shandong Longteng Wood Co., Ltd. Tanyi Industrial Park, Feixian County, Linyi City, Shandong 273400, China	FLO-21-09-07-01 / Slip resistance	Engineered Wood Floorings Variant 1: Top layer: Oak 4,0 mm, UV oiled Variant 2: Top layer: American Walnut 3,0 mm, Natural oiled dimensions: length (400-2200) mm x width (125-260) mm x thickness (10-20) mm	07 September 2021

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Shandong Longteng Wood Co., Ltd. Tanyi Industrial Park, Feixian County, Linyi City, Shandong 273400, China	<p>FLO-21-09-13-01 / Reaction to fire Formaldehyde emission Content of PCP Anti-skid properties Thermal conductivity Maximum load</p>	<p>Engineered Wood Floorings Variant 1+2: Top layer: Oak (2,5 - 6,0) mm, Based: Poplar + Eucalyptus (7,5 -14,0) mm, Dimensions: length (400-2200) mm x width (125-260) mm x thickness (10-20) mm, UV-lacquered Variant 3: Top layer: Oak 2,5 mm, Based: Poplar + Eucalyptus 11 mm, Thickness: 14 mm, UV-lacquered Variant 4: Top layer: Oak 5,5 mm, Based: Poplar + Eucalyptus 14,5 mm, Thickness: 20 mm, Natural oiled Variant 5: Top layer: Oak 4,0 mm, UV oiled, Variant 6: Top layer: American Walnut 3,0 mm, Natural oiled</p>	13 September 2021
CHANGZHOU ZHENGHANG DECORATIVE MATERIALS CO.,LTD. CUIBEI HENGLIN TOWN, WUJIN DISTRICT CHANGZHOU CITY, JIANGSU PROVINCE, CHINA	<p>FLO-21-09-17-01 / Reaction to fire Sliding behavior Formaldehyde emission</p>	<p>SPC Floorings, Top layer: PVC, UV lacquered, Structure: BP Dimensions: length (1000-1830) mm x width (83-610) mm x thickness (3,2-8,0) mm</p>	17 September 2021

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
CHANGZHOU ZHENGHANG DECORATIVE MATERIALS CO.,LTD. CUIBEI HENGLIN TOWN, WUJIN DISTRICT CHANGZHOU CITY, JIANGSU PROVINCE, CHINA	FLO-21-09-17-02 / Reaction to fire Sliding behavior	WPC Floorings Dimensions: Length (100-2000) mm x Width (100-610) mm xThickness (4,0-9,0) m	17 September 2021
CHANGZHOU ZHENGHANG DECORATIVE MATERIALS CO.,LTD. CUIBEI HENGLIN TOWN, WUJIN DISTRICT CHANGZHOU CITY, JIANGSU PROVINCE, CHINA	FLO-21-09-17-03 / Reaction to fire Sliding behavior	PVC Floorings Dimensions: Length (100-2000) mm x Width (100-610) mm xThickness (2,0-6,0) m	17 September 2021
EMERGO ADAM PARDA,ul. Pokaryskiego 32, 04- 703 Warszawa, Poland	FLO-21-09-17-05 / Reaction to fire Sliding behavior Formaldehyde emission	SPC Floorings "Artens", "Home Inspire", "METAMORPHOSE" Top layer: PVC, UV lacquered, Structure: BP Dimensions: length (1000-1830) mm x width (83-610) mm x thickness (3,2-8,0) mm	17 September 2021
Dunhua Yishujia Flooring Co., Ltd. Aipingling Village Jiangnan Town, Dunhua City, Yanbian Perfec- ture Jilin Province CHINA	FLO-21-09-24-01 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV lacquered Dimensions: length (300-2400) mm x width (45-400) mm x thickness (8-30) m	24 September 2021
Zhejiang YuFeng Intelligent home co., Ltd. #1188 Tiaoxi East Street Qianyuan Town Deqing County Huzhou City, Zhejiang Province CHINA 313200	FLO-21-09-24-02 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV lacquered Dimensions: length (400-2200) mm x width (70-260) mm xthickness (8-20) mm	24 September 2021
Shaoxing Haohua Timber Industry Co., Ltd. No.23 Qisheng Road Shaoxing Zhejiang China 312000	FLO-21-09-24-03 / Formaldehyde emission Content of PCP	Multi-layer parquet with different wood species in the top layer, UV-lacquered dimensions: length (450-5000) mm x width (90-300) mm xthickness (10-21) mm	24 September 2021

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Wuxi Duo Zhengwei New Material Technology Co., Ltd. Nancao Village, Wanshi Town Yixing City, Jiangsu 214200 China	FLO-21-09-29-01 / Reaction to fire Sliding behavior	SPC Flooring, Top layer: PVC, UV curing coating, Structure: TW-15 Dimensions: length (609-1524) mm x width (125-304) mm x thickness 4,0 mm	29 September 2021
CFL Flooring (China) Co., Ltd No 111 Changjiang Rd. Jiashan Development area, 314100 Jiaxing China	FLO-21-11-19-01 / Formaldehyde emission	Product name: "WPC" Extruded PVC foam core with Vinyl top layer Thickness: 5 mm	19 November 2021
DALIAN KEMIAN WOOD INDUSTRY CO., Ltd 2-227 ZHUANGDA ROAD CHANGSHENG INDUSTRY PARK ZHUANGHE CITY, LIAONING CHINA 116400	FLO-21-12-01-01 / Formaldehyde emission Content of PCP	Engineered Wood Flooring with different wood species in the top layer, UV-lacquered dimensions: length (400-4000) mm x width (80-300) mm x thickness (8-22) mm	01 December 2021
Artist Intelligent Household Co.; Ltd. NO. 988 North Huancheng Road Deqing County, Zhejiang Province CHINA 313200	FLO-22-01-05-01 / Formaldehyde emission Content of PCP	Wood veneer floor coverings with different wood species in the top layer, UV-lacquered dimensions: length (360-3000) mm x width (40-300) mm x thickness (8-22) mm	05 January 2022
Zhejiang Xinwu Wood Products Co., Ltd. No. 351 Huishan Road Wukang Town, Deqing County, Zhejiang 313200 China	FLO-22-01-21-01 / Formaldehyde emission Content of PCP	Engineered Wood Flooring with different wood species in the top layer, UV-lacquered dimensions: length (300-2400) mm x width (70-300) mm x thickness (8-20) mm	21 January 2022

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
MIKADO SPC JOINT STOCK COMPANY La Mat Kien Khe town Thanh Liem district Ha Nam Province VIETNAM	FLO-22-01-27-01 / Reaction to fire Sliding behavior	SPC Floorings, Top layer: PVC, UV lacquered, Structure: BP Dimensions: length (1220-1524) mm x width (150-228,6) mm x thickness (4,2-8,0) mm	27 January 2022
Fusong Jinlong Wooden Group Co. LTD. No. 1 Zhanqian Street Songjianghe Town Fusong County, Jilin Province China 134504	FLO-22-01-28-01 / Formaldehyde emission Content of PCP	Three layer parquet with different wood species in the top layer, UV oiled dimensions: length (600-3800) mm x width (90-350) mm x thickness (10-20) mm	28 January 2022
Fusong Jinlong Wooden Group Co. LTD. No. 1 Zhanqian Street Songjianghe Town Fusong County, Jilin Province China 134504	FLO-22-01-28-02 / Formaldehyde emission Content of PCP	Multi-layer parquet with different wood species in the top layer, UV oiled dimensions: length (600-3800) mm x width (90-350) mm x thickness (10-20) mm	28 January 2022
Fusong Jinlong Wooden Group Co. LTD. No. 1 Zhanqian Street, Songjianghe Town Fusong County, Jilin Province, China 134504	FLO-22-01-28-03 / Reaction to fire Formaldehyde emission Content of PCP Anti-skid properties Thermal conductivity	Three-layer parquet, UV-oiled, Thickness: 15 mm Wood species: Top layer: Oak(4mm) Core layer: Pine (9 mm) Back layer: Pine (2 mm)	28 January 2022
Muling Kemian Wood Industry Co., Ltd. Xiachengzi Industry Park Muling City, Mudanjiang City, Heilongjiang Province CHINA	FLO-22-02-09-01 / Formaldehyde emission Content of PCP Slip resistance	3-layer parquet with different wood species in the top layer, UV lacquered Dimensions: length (400-2200) mm x width (90-260) mm x thickness (12-22) mm	09 February 2022

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
ASIA US INDUSTRIAL JOINT STOCK COMPANY Lot 1, Thai Hoa, Lien Son, Lien Hoa IZ Hoa Son Town Lap Thach District, Vinh Phuc Province Vietnam	FLO-22-03-24-01 / Reaction to fire Sliding behavior	SRC Floorings, Top layer: PVC, UV lacquered, Structure: BP Dimensions: length (915-1524) mm x width (152-228) mm x thickness (3,2-6,0) mm	24 March 2022
Huzhou Teya Floor Co., Ltd. No. 2-4 Qjanyuan Road, Xunbei Village Nanxun Economic Development Zone Huzhou, Zhejiang 313009 China	FLO-22-03-25-02 / Formaldehyde emission Content of PCP	Wood Flooring with different wood species in the top layer, UV lacquered Dimensions: length (600-4500) mm x width (50-450) mm x thickness (9-22) mm	25 March 2022
Jiangsu Keri Wood Co., Ltd. Siyang Wood Industry Park, Daxing Community Siyang City, Jiangsu 223723 CHINA	FLO-22-04-11-01 / Reaction to fire Sliding behavior	VSPC flooring, UV coating, Structure: Oak wood Top layer: 0,5 mm European Oak, Core layer: SPC Dimensions: 1220 mm x 166 mm x 5 mm	11 April 2022
Jiangsu Shengmao Plastic Products Co., Ltd. Si- yang Wood Industry Park Daxing Community, Siyang City Jiangsu 223723 CHINA	FLO-22-04-11-02 / Reaction to fire Sliding behavior	LVT Flooring, Top layer: PVC + colour film layer, UV coat- ing, Structure: "BP" Dimensions: 1220 mm x 178 mm x 2,0 mm	11 April 2022
JIANGSU MINGLE FLOORING CO., LTD. ZIP 223700 #888 XUHUA1 ROAD, DAXING WOOD INDUSTRIAL PARK ZHONGXING TOWN, SIYANG COUNTY, JIANGSU PROVINCE, CHINA	FLO-22-04-12-01 / Reaction to fire Formaldehyde emission Content of PCP	Engineered Wood Floorings, UV lacquered Top layer: oak, core layer: plywood, back layer; birch Dimensions: length (510-2400) mm x width (58-300) mm x thick- ness (10-20) mm	12 April 2022

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
DALIAN YOU MING WOOD BUSINESS CO., LTD. No. 109 Yaogong Street, GanJingZi District, DaLian City, Liaoning Province, CHINA	FLO-22-04-27-01 / Reaction to fire Formaldehyde emission Content of PCP	Multi-layer Parquet "SOLID ENGINEERED FLOORING" Top layer: oak, lacquered Thickness: 10 mm - 30 mm	27 April 2022
DALIAN YOU MING WOOD BUSINESS CO., LTD. No. 109 Yaogong Street, GanJingZi District, DaLian City, Liaoning Province, CHINA	FLO-22-04-27-02 / Formaldehyde emission Content of PCP	Multi-layer Parquet "SOLID ENGINEERED FLOORING" Top layer: with different wood species, lacquered Thickness: 10 mm - 30 mm	27 April 2022
Chongnuo (Shandong) New Material Co., Ltd. Northwest of the crossroad of Dongyue Street and Kunlun East Road Economic Development Zone, Qingyun County, Dezhou City, Shandong Province CHINA	FLO-22-04-11-02 / Reaction to fire Sliding behavior Formaldehyde emission	SPC Flooring, Top layer: PVC + colour film layer, UV coating, Structure: "BP" Thicknesses: 3,5 mm - 6,5 mm	13 May 2022
Tongxiang Shengong Timber Industry Co., Ltd. No. 09 Chenggong Road Heshan Industrial Park Tongxiang, Zhejiang China	FLO-22-05-13-03 / Formaldehyde emission Content of PCP	Engineered Wood Flooring with different wood species in the top layer, UV-lacquered dimensions: length (300-3000) mm x width (70-300) mm x thickness (8-22) mm	13 May 2022
Suzhou Duolun Wood Industry Co., Ltd. Jiangsu province, Suzhou city Taoyuan town Fanxiang industry area CHINA	FLO-22-05-24-01 / Formaldehyde emission Content of PCP	Engineered Wood Flooring with different wood species in the top layer, UV-lacquered dimensions: length (450-2200) mm x width (70-1000) mm x thickness (10-20) mm	24 May 2022

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Jiangsu Zhengyong Flooring Decoration Material Co., Ltd. No.32 Cuibei Village, Henglin Town, Wujin Dist, Changzhou City, Jiangsu Province 213101 China	FLO-22-06-01-01 / Reaction to fire Sliding behavior Formaldehyde emission	SRC Floorings, Top layer; PVC, UV lacquered, Structure: BP, EIR Dimensions: length (450-1830) mm x width (83-610) mm x thickness (3,2-8,0) mm	1 June 2022
CHANGZHOU MEISHUNDA DECORATIVE MATERIAL CO., LTD. Meixiang Road 2#, Henglin Town, Wujin District Changzhou City, Jiangsu Province, P.R.China	FLO-22-06-01-02 / Reaction to fire Sliding behavior	WPC Flooring “^n-fWPC” Dimensions: Length (100-2000) mm x Width (100-610) mm x Thickness (4,0-9,0) mm	1 June 2022
Jiangsu Senmao Bamboo & Wood Industry Co.. Ltd Industrial Park Zhangzhu Town Yixing City. Jiangsu China	FLO-22-06-22-01 / Formaldehyde emission Content of PCP	Engineered Wood Flooring with different wood species in the top layer, UV-lacquered dimensions: length (350-2200) mm x width (90-260) mm x thickness (9-20) mm	22 June 2022
Zhejiang Guolian Floor Cov Ltd. No238 Beihu west Street, Wukang Town, Deqing County Huzhou City, Zhejiang Province, 313200 CHINA	FLO-22-07-08-01 / Reaction to fire Formaldehyde emission Content of PCP	Engineered Wood Floorings, UV lacquered Top layer: Oak, 3 mm - 6 mm; back layer: birch and eucalyptus Dimensions: length (400-2400) mm x width (70-300) mm x thickness (10-21) mm	8 July 2022

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
QINGDAO YIMAN WOOD CO.; LTD. Dachang Town, Huangdao District Qingdao City, Shandong Province China	FLO-22-07-22-03 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV lacquered dimensions: length (400-3600) mm x width (90-285) mm x thickness (9-18) mm	22 July 2022
Jilin Zhuoyuan Timber Industry Co., Ltd. Fuyuan Timber Industry Courtyard of Taipingling Village Jiangnan Town, Dunhua City, Jilin Province CHINA	FLO-22-07-22-05 / Formaldehyde emission Content of PCP	Engineered Wood Flooring with different wood species in the top layer, UV-lacquered dimensions: length (500-2200) mm x width (100-260) mm x thickness (10-20) mm	22 July 2022
JIANGSU SHANGGE INVESTMENT CO., LTD. Industrial Area Yu Zhuang Yaoguan Town, Wujin District Changzhou City, Jiangsu Province CHINA	FLO-22-07-27-01 / Sliding behavior Content of PCP	SPC Floorings, Top layer: PVC, UV lacquered, Structure: BP Dimensions: length (450-1800) mm x width (125-600) mm x thickness (2,0-6,0) mm	27 July 2022
DALIAN QIANQ1U WOODEN PRODUCT CO., Ltd Dalianwan Village, Dalianwan Town Ganjingzi District, Dalian City LIAONING PROVINCE CHINA 116113	FLO-22-08-12-01 / Formaldehyde emission Content of PCP	Engineered Wood Flooring with different wood species in the top layer, UV-lacquered dimensions: length (400-3200) mm x width (90-300) mm x thickness (10-22) mm	12 August 2022

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Dunhua City Jisen Wood Industry Co., Ltd. No. 271 Da Shitou Street Dunhua City Jilin Province 133702 CHINA	FLO-22-08-12-02 / Formaldehyde emission Content of PCP	Wood veneer floor covering with different wood species in the top layer, UV-lacquered dimensions: length (400-2200) mm x width (57-260) mm x thickness (10-20) mm	12 August 2022
DALIAN KEMIAN WOOD INDUSTRY CO., LTD 277th ZhuangDa Road, Changsheng Industry Zone, Zhuanghe, Dalian, Liaoning Province, CHINA	FLO-22-09-09-01 / Reaction to fire Formaldehyde emission Content of PCP Anti-skid properties	Engineered Wood Flooring, UV lacquered, structure: "Real Wood" top layer: Oak (3 mm), core layer: Poplar (9 mm), back layer: Poplar (2 mm) dimensions: length (300-2200) mm x width (70-260) mm x thickness 14 mm	9 September 2022
DALIAN KEMIAN WOOD INDUSTRY CO., LTD 277th ZhuangDa Road, Changsheng Industry Zone, Zhuanghe, Dalian, Liaoning Province, CHINA	FLO-22-09-09-02 / Reaction to fire Formaldehyde emission Content of PCP Anti-skid properties	Solid Wood Flooring, wood species; Oak, UV lacquered, structure: "Real Wood" dimensions: length (300-2200) mm x width (70-260) mm x thickness (15-18) mm	9 September 2022

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
DONG NING SUI YANG WOODLAND YU-ANTON6 WOOD CO., LTD West Mountain, Suiyang Town, Dongning County, Heilongjiang Province, China	FLO-22-09-15-01 / Reaction to fire Formaldehyde emission Content of PCP Anti-skid properties	Engineered Wood Flooring, UV lacquered, Structure: "Real Wood" Top layer: Oak (3 mm), Core layer: Poplar (9 mm), Back layer: Poplar (2 mm) dimensions: length (300-2200) mm x width (70-260) mm x thickness 14 mm	15 September 2022
DONG NING SUI YANG WOODLAND YUANTONG WOOD CO., LTD West Mountain, Suiyang Town, Dongning County, Heilongjiang Province, China	FLO-22-09-15-02 / Reaction to fire Formaldehyde emission Content of PCP Anti-skid properties	Solid Wood Flooring Oak, UV lacquered, Structure: "Real Wood" dimensions: length (300-2200) mm x width (70-260) mm x thickness 15 mm	15 September 2022
DEHUA TB NEW DECORATION MATERIAL CO., LTD. #1188Tiaoxi East Street Qianyuan Town Deqing County Huzhou City Zhejiang Province CHINA 313200	FLO-22-09-21-01 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV-lacquered dimensions: length (400-2200) mm x width (70-260) mm x thickness (8-20) mm	21 September 2022
Dunhua Yishujia Flooring Co., Ltd. Taipinging Village, Jiangnan Town Dunhua City, Yanbian Prefecture Jilin Province, CHINA	FLO-22-09-21-02 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV-lacquered dimensions: length (300-2400) mm x width (45-400) mm x thickness (8-30) mm	21 September 2022

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Anhui Coordinated Lin Plastic Technology Co., Ltd. Industrial Zone, Gangji, Changfeng, Hefei City Anhui Province 231137, CHINA	FLO-22-09-30-01 / Reaction to fire Sliding behavior	LVT floorings, Top layer: PVC, UV lacquered, Structure: BP dimensions: length (915-1830) mm x width (148-465) mm x thickness (2,0-5,0) mm	30 September 2022
Anhui Coordinated Lin Plastic Technology Co., Ltd. Industrial Zone, Gangji, Changfeng, Hefei City Anhui Province 231137, CHINA	FLO-22-09-30-02 / Reaction to fire Sliding behavior	SPC floorings, Top layer: PVC, UV lacquered, Structure: BP dimensions: length (915-1830) mm x width (148-465) mm x thickness (3,2-5,0) mm	30 September 2022
Wuxi Duo Zhengwei New Material Technology Co., Ltd. Nancao Village, Wanshi Town Yixing City, Jiangsu 214200 China	FLO-22-10-14-01 / Reaction to fire Sliding behavior	SRC Flooring, Top layer: PVC, UV lacquered, Structure: BP Dimensions: length (609-1524) mm x width (125-304) mm x thickness 4,0 mm	14 October 2022
Joyway Group Inc. 2615, Building 2, 750 Zhongshanxi Road, Changning District, Shanghai, China	FLO-22-10-20-01 / Reaction to fire Anti-skid properties Formaldehyde emission	Joyway SPC floor coverings - Vinyl floorings Structure: Marble grain with light embossed raindrop pattern Thicknesses: 3.2 - 8.0 mm	20 October 2022
Benxi Flooring Factory (General Partnership) No.99 DongFeng Road, Xihu District Benxi City Liaoning Province, China	FLO-22-11-09-01 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV-lacquered dimensions: length (600-2200) mm x width (60-300) mm x thickness (10-20) mm	9 November 2022

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
KUNSHAN WAYTEX TEXTILE INDUSTRY CO., LTD 366 SONGJIAGANG ROAD, ZHOSHU TOWN KUNSHAN CITY, JIANGSU, CHINA	FLO-22-10-14-01 / Reaction to fire Sliding behavior Formaldehyde emission	Woven Vinyl Flooring, Thickness: 4,6 mm Type No.: Rolls/tiles Soundweave Composition: 80 % PVC, 16 % Pol- yester, 4 % Glassfiber Color: Grey/Brown	9 November 2022
Dalian Universal Wood Products Co., Ltd. No. 164-44, Minsheng Village Sanshilipu Street, Jinpu New Zone Dalian, China	FLO-22-11-09-03 / Formaldehyde emission Content of PCP	3-layer parquet with different wood species in the top layer, UV-lacquered dimensions: length (300-4000) mm x width (70-400) mm x thickness (10-22) mm	9 November 2022
Royal Crystal Joint Stock Company Dong Nai Street No. 8, Nhon Trach Industrial Zone II Nhon Phu, Hiep Phuoc Town, Nhon Trach District Dong Nai Province / Vietnam	FLO-22-11-15-01 / Reaction to fire	SPC Flooring Collection; (3,4-8;5) mm with and without 1XPE and EVA underlay material	15 November 2022
Royal Crystal Joint Stock Company Dong Nai Street No. 8, Nhon Trach Industrial Zone II Nhon Phu, Hiep Phuoc Town, Nhon Trach District Dong Nai Province / Vietnam	FLO-22-11-21-01 / Reaction to fire Sliding behavior Formaldehyde emission Thermal resistance Thermal conductivity	SRC Flooring Collection; (3,4 - 8,5) mm with and without IXPE (1,0 - 2,0) mm and EVA (1,0 - 2,0) mm underlay material	21 November 2022

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Jiashan Fluijiale Decoration Material Co., Ltd. No.101 hongyun road Weitang Street, Jiashan Zhejiang Province 314100 CHINA	FLO-22-11-30-01 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV-lacquered dimensions; length (400-2400) mm x width (70-300) mm x thickness (8-20) mm	30 November 2022
Dalian Kemian Wood Industry Co.; Ltd 2-227 Zhuangda Road, Changsheng Industry Park Zhuanghe City, Liaoning China 116400	FLO-23-01-04-01 / Formaldehyde emission Content of PCP	Engineered wood flooring with different wood species in the top layer, UV-lacquered; Core layer; Birch Dimensions: length (400-4000) mm x width (80-300) mm x thickness (8-22) mm	4 January 2023
Zhejiang Xinwu Wood Products Co., Ltd. No. 351 Huishan Road Wukang Town, Deqing County, Zhejiang 313200 CHINA	FLO-23-01-23-01 / Formaldehyde emission Content of PCP	Engineered Wood Flooring with different wood species in the top layer, UV-lacquered, Core layer: Eucalyptus, Back layer: Birch dimensions: length (300-2400) mm x width (70-300) mm x thickness (8-20) mm	23 January 2023
Artist Intelligent Household Co., Ltd. NO. 988 North Huancheng Road Deqing County Zhejiang Province CHINA 313200	FLO-23-02-03-01 / Formaldehyde emission Content of PCP	Wood veneer floor coverings with different wood species in the top layer, UV-lacquered, Core layer; Birch dimensions: length (360-3000) mm x width (40-300) mm x thickness (8-22) mm	3 February 2023

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
Jiangsu Shengchang Innovative Household Materials Co., Ltd. Honglian Village, Henglin Town, Wujin District Changzhou City, Jiangsu Province, CHINA	FLO-23-02-03-02 / Reaction to fire Sliding behavior Formaldehyde emission Content of PCP	Laminate floor coverings, Structures: Regular, EIR dimensions: length (400-2450) mm x width (80-1200) mm x thickness (5,8-15,3) mm	3 February 2023
Jiangsu Shengchang Innovative Household Materials Co., Ltd. Honglian Village, Henglin Town, Wujin District Changzhou City, Jiangsu Province, CHINA	FLO-23-02-03-03 / Reaction to fire Sliding behavior Formaldehyde emission Content of PCP	SPC Floorings, Top layer: PVC, UV lacquered, Structures: Regular, EIR dimensions: length (600-1850) mm x width (90-610) mm x thickness (3,0-10,0) mm	3 February 2023
LIAOYANG COUNTY XINGYUAN WOOD INDUSTRY CO., LTD. XICHAZI VILLAGE, HUANGNIWA TOWN LIAOYANG CITY, LIAONING, China	FLO-23-02-06-01 / Reaction to fire Formaldehyde emission Content of PCP Anti-skid properties Thermal conductivity	2-layer parquet, UV lacquered or wax oiled Thicknesses: 14 mm - 20 mm Wood species; Top layer; European white oak Core layer: Eucalyptus and Poplar (mixed)	6 February 2023
Power Dekor Group Co. Ltd. Building 48, No. 1000Jinhai Road 201206 Pudong New Area, Shanghai / China	FLO-23-02-08-01 / Reaction to fire Formaldehyde emission	Veneered HDF Flooring Wood species: Oak, Top layer: Veneer oak 1,6 mm, lacquered Core layer: HDF 9,4 mm Back layer: Veneer 1,1 mm Thickness: 12,1 mm	8 February 2023

CE Test certificates for products issued from 2018 until 2022 for holders in China/Vietnam/Cambodia

Certificate holder	Certificate No. / Properties	Product	Date of issuance
ROYAL CRYSTAL MANUFACTURING AND MATERIALS TECHNOLOGY JOINT STOCK COMPANY Factory 2; Lot CN4.1 MP Dinh Vu Industrial Park, Dinh Vu - Cat Hai Economic Zone, Dong Hai 2 Ward, Hai An District, Hai Phong City / VIETNAM	FLO-23-02-17-01 / Reaction to fire Sliding behavior	Range of SPC floor coverings with integrated underlay Nominal thicknesses: 3,2 mm + 1,0 mm IXPE or EVA underlay material 8,0 mm + 2,0 mm IXPE or EVA underlay material	17 February 2023
Zhejiang Gimig Technology Co., Ltd. No. 699 Shengli Road Nanxun Town Huzhou City China	FLO-23-02-22-01 / Reaction to fire Sliding behavior	LVT Floor Coverings with PVC top layer with UV-Coating, Structure "BP" Dimensions: Length (450-1600) mm x Width (150-915) mm x Thickness (2,0-5,0) mm	22 February 2023
Muling Kemian Wood Industry Co., Ltd. Xiachengzi Industry Park, Muling City, Mudanjiang City, Heilongjiang Province China	FLO-23-03-01-01 / Formaldehyde emission Content of PCP Slip resistance	3-layer parquet with different wood species in the top layer, UV lacquered Core layer: Poplar, Back layer: Poplar Dimensions: length (400-2200) mm x width (90-260) mm x thickness (12-22) mm	1 March 2023
Havitech Production Joint Stock Company LOT 5, CAM THUONG CLUSTER, CAM THUONG COMMUNE BAVI DISTRICT HANOI CITY VIETNAM	FLO-23-03-02-01 / Formaldehyde emission Content of PCP Slip resistance	SPC Floorings with embossed PVC top layer with UV-coating and 1 mm integrated IXPE backing; Length (600-1500) mm x Width (150-300) mm x Thickness (4,5-8,5) mm	2 March 2023